

RFQ #NNK145048486Q QUESTIONS AND ANSWERS

Item 1 (Exhibit Structure)

Question 1: Is this main structure a 66' x 148' x 4 meter legs?

Answer 1: The contractor shall meet the requirements for Item 1. as described in the Statement of Work, Rev 1 dated April 3, 2014.

Question 2: Are the walls all solid white (soft)?

Answer 2: Yes. Walls are solid white (soft)

Question 3: What is the pipe and drape color for the booths?

Answer 3: The pipe and drape color for the booths is royal or dark blue.

Question 4: What is the earliest we can start setting up?

Answer 4: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 5: What type of AC units were used for last year's event?

Answer 5: Contract NNK13OL32P was awarded on 4/2/2013. There was no requirement to list the type of AC units provided by the contractor. The Government does not have the information requested.

Question 6: Were you happy with the air-conditioning?

Answer 6: Yes.

Question 7: If vertical flush mount, did the AC units disturb the pipe and drape booths last year?

Answer 7: The government does not have the information requested.

Question 8: Can we use metal halide lighting instead of fluorescent lighting?

Answer 8: Yes. Metal halide lighting may be used instead of fluorescent lighting.

Question 9: Do you need carpet for this tent?

Answer 9: No carpet is needed for this tent.

Question 10: If yes, what color carpet?

Answers 10: – Not applicable.

Item 2: (50' x 50' structures)

Question 11: Where do the flap doors go on the 50' x 50's and how wide?

Answer 11: See Diagram below, for location of flap doors. The flap doors shall be between 6' and 9' wide.

Question 11a: The complete 5 meter (16') bay open?

Answer 11a: No.

These two outside walkways shall be placed 10' from tent walls



Question 12: Do both structures just get plywood or is there Carpet too?

Answer 12: No carpet is required.

Question 13: Do the plywood walkways get carpet?

Answer 13: No carpet is required.

Question14: If yes to either carpet question, what color?

Answer 14: Not applicable.

Question 15: Where would you like the AC units placed on both 50x50's.

Answers 15: AC units shall be adjacent to the fire lane. However placement must comply with all regulations pertaining to the fire lane.

Question16: Can we use metal halide lighting instead of fluorescent lighting?

Answer 16: For the Competition Arena, Item 2, lighting shall consist of high intensity discharge (HID) lights such as metal halide lights.

Item 3: (structure to cover both 50' x 50' and bleachers)

Question 17: This structure will land on the curved asphalt walkway, would we be able to stake on the asphalt for the one leg? We can weight if not able to stake?

Answers 17: Any structure must comply with all regulations. There is no staking allowed on any asphalt walkway.

Question18: What is the overall measurement from the rear of the bleacher to the asphalt path (front)? 100 feet?

Answer 18: See Diagram 2, in solicitation.

Question19: Do you need lighting?

Answer 19: No lighting is required for this Item 3.

Question 20: How many days do we have to set up?

Answer 20: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 21: When do we start and when do we turn it over to Robotics?

Answer 21: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 22: When will we strike and have to be clear of the site?

Answer 22: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 23: On what date is construction allowed to begin?

Answer 23: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 24: By what date must all equipment be off site?

Answer 24: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 25: What are the acceptable working hours on-site?

Answer 25: Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 26: Is plywood the only acceptable material for the floor construction?

Answer 26: No. plywood is not the only acceptable material. Refer to the Statement of Work, Rev 1, dated April 3, 2014.

Question 27: Would non-skid composite flooring material be acceptable?

Answer 27: Yes, non-skid composite flooring is acceptable if it meets or exceeds plywood flooring.

Question 28: We'd like to confirm that all floors are to be bare, no carpeting or other topping required

Answer 28: Correct. All floors are to be bare, no carpeting or other topping is required.

Question 29: Are mercury halide lights acceptable in lieu of fluorescent lighting?

Answer 29: For Item 1, (Robopits) Mercury halide lights is acceptable in lieu of fluorescent lighting.

For Item 2, (Competition Tents) lights will consist of high intensity discharge (HID) lights such as metal halide lights.

Question 30: Item 2

The dialogue does not call for it, but Diagram 2 depicts the 50' x 50' tents as having 13' walls and a 20' ridge (peak). Are 11' legs and a 18.66' ridge (peak) acceptable?

Answer 30: Yes. 11' legs and a 18.66' ridge (peak) is acceptable.

Question 31: What is the height of the bleachers being used?

Answer 31: The planning height is 11'. This may change subject to availability

End of Questions

Additional Notes: Item 2 needs to be coordinated with the Institutional Services Contractor (Bin & Ramp installation), KSCVC and the Contracting Officer.

The weekend of May 10 & May 11 are currently listed as no work days because of other events, but is subject to change.

